



Electric Sprayers

The Industry's First Choice for Airless Electric Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.

Electric Sprayers



The Industry's First Choice
for Electric Airless Sprayers



390

Ultra® 395

Ultra Max II 490

Ultra Max II 495

Ultra Max II 595

Ultra Max II 695

Ultra Max II 795

Ultra Max II 1095

Ultra Max II 1595

IronMan 300E



"My Graco has reliability and quality that never let me down. I have owned five Graco airless sprayers that have all been problem-free and dependable. Other brands I've owned have not been as reliable."

- Ken Green -

Ken Green Painting
Los Alamitos, CA

Only Graco delivers the industry's first choice for electric airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity.

Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.



**We Stand Behind the Quality
Built Into Every Product**



Proven Quality

- Precision design, 100% factory-tested, and field-proven.
- Cutting-edge technology keeps Graco sprayers up and running and on the job for years.

Maximum Performance

- Higher output with superior control ensures highest quality finish for every job.
- Rely on any of these high performance sprayers to deliver the results you expect from a Graco.

Industry Leading Warranty

- Every Graco electric sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.
- Sprayers so reliable you may never need to use the warranty.

Unmatched Productivity

- Exclusive Endurance™ Pumps deliver long life, reliable performance, and consistent spraying.
- The Endurance Advantage Program eliminates downtime by keeping a spare pump on hand for a quick change-out on the job.

390

The 390 is a solid workhorse built for the professional just “starting out”. Lightweight and portable, the 390 is the ideal sprayer for residential jobs, and is the best value in small electric sprayers.

Lightweight Design

- Graco’s lightest professional sprayer at only 30 lbs (13.6 kg)
- Easy to lift and carry

Proven Endurance™ Pump

- Long-life V-Max Blue™ Packings, Chromex™ Rod and Hardened Stainless Steel Cylinder
- Proven design and rugged construction
- QuikAccess intake valve to easily clean or clear debris

Consistent Pressure Control

- Simple mechanical design for years of reliable use
- Double-seal design keeps moving parts isolated from paint
- Delivers quality spray pattern with minimal fluctuation

Reliable DC Motor

- Allows you to run long extension cords, up to 300 ft (14 gauge min.)
- Quiet and reliable

Swivel Inlet Suction Hose

- All aluminum construction is durable, lightweight, and rust free
- No-tools removal of hose for cleaning or accessing inlet ball
- Easily swivels to reach buckets or cans
- Stands upright so it won’t tip cans over

Welded Steel Frame

- Welded steel cord wrap doubles as a chain “lock down”
- Four-leg design for solid footing plus rugged leg caps to protect floor
- Offset handle for comfortable carrying

Easy Out™ Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won’t get stuck or collapse when dirty
- Filter removes with the cap for less mess



DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
390 Stand	253958	.021	0.47 (1.8)	3300 (227)
390 Hi-Boy	262019	.021	0.47 (1.8)	3300 (227)

Comes complete with: New FTX™ Gun, RAC-X 515 Tip and Guard, 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Hose.



New Easy Out Filter with 8.1 square inches of filtering area.



New offset handle is positioned to kick sprayer away from leg while carrying.



New QuikAccess™ intake requires only a hammer to access the intake ball.

The Ultra 395's reliability and performance has made it Graco's most popular small electric sprayer. Proven technology and design make it perfect for professionals who spray daily with a wide range of coatings.

Proven Endurance Pump

- Long-life V-Max Blue Packings, Chromex Rod, and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris

SmartControl™ 1.0 Pressure Control

- Microprocessor control delivers a consistent spray fan without pressure fluctuation at all spraying pressures
- Tight deadband and fast response when spraying

Totally Enclosed DC Motor

- Enclosed design protects internal motor components from dirt, dust, and overspray to extend motor life

Swivel Inlet Suction Hose

- All aluminum construction is durable, lightweight, and rust free
- No-tools removal of hose for cleaning or accessing inlet ball
- Easily swivels to reach buckets or cans
- Stands upright so it won't tip cans over
- Big Cup holds the inlet during transport to catch drips

Welded Steel Frame

- Rugged four-leg design for solid footing plus rugged leg caps to protect floor
- Offset handle with rubber comfort grip provides comfortable carrying
- Welded steel cord wrap doubles as a chain "lock down"
- Choose Stand, Hi-Boy or Lo-Boy cart

Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess

Ultra 395



DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
Ultra 395 Stand	233960	.023	0.54 (2.0)	3300 (227)
Ultra 395 Hi-Boy	233962	.023	0.54 (2.0)	3300 (227)
Ultra 395 Lo-Boy	233961	.023	0.54 (2.0)	3300 (227)

Comes complete with: New Contractor Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Hose.



Offset handle for comfortable carrying.



Easy Out pump filter removes simply with the cap.



QuikAccess intake requires only a hammer to access the intake ball.

Ultra Max II 490



Stand Unit Shown

The new Ultra Max II 490 brings the leading technology and performance of Graco's larger Ultra Max II models into these compact and lightweight sprayers. The 490 is the best choice for professionals looking for superior performance and control for daily use on residential jobs.

Proven Endurance Pump

- Long-life V-Max Blue Packings, Chromex Rod, and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris

Lightweight Design

- Weighs only 34 lbs (19 kg)
- Easy to carry

Exclusive Brushless DC Motor

- Compact, lightweight motor delivers higher horsepower per wall amp
- No brushes to replace
- Enclosed design protects internal motor components from dirt, dust and overspray to extend motor life

SmartControl 2.0 Pressure Control

- Advanced microprocessor control delivers most consistent spray fan at all spraying pressures
- Zero deadband at lower spraying pressures makes the 490 ideal for fine finish spraying

Swivel Inlet Suction Hose

- All aluminum construction is durable, lightweight, and rust-free
- No-tools removal of hose for cleaning or accessing inlet ball
- Easily swivels to reach buckets or cans
- Stands upright so it won't tip cans over

Welded Steel Frame

- Offset handle with rubber comfort grip provides comfortable carrying
- Welded steel cord wrap doubles as a chain "lock down"
- Choose Stand, Hi-Boy or Lo-Boy cart

Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out so filters won't get stuck or collapse
- Filter removes with the cap for less mess

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
Ultra Max II 490 Stand	249911	.023	0.54 (2.0)	3300 (227)
Ultra Max II 490 Hi-Boy	249914	.023	0.54 (2.0)	3300 (227)
Ultra Max II 490 Lo-Boy	249913	.023	0.54 (2.0)	3300 (227)

Comes complete with: New Contractor Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Hose.



No tools suction hose removal.



Easy Out filters won't collapse or get stuck when dirty.



Hi-Boy TiltBack® carts make bucket changes fast and easy.

The new Ultra Max II 495 features the leading technology and performance of Graco's larger Ultra Max II models. The Ultra Max II 495 is the sprayer of choice for professionals who need a higher output sprayer for daily use on residential jobs.

Proven Endurance Pump

- Long-life V-Max Blue Packings, Chromex Rod, and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris

SmartControl 2.0 Pressure Control

- Advanced microprocessor control delivers Graco's most consistent spray fan at all spraying pressures
- Zero deadband at lower spraying pressures makes the 495 ideal for fine finish spraying

Exclusive Brushless DC Motor

- Compact, lightweight motor delivers higher horsepower per wall amp
- No brushes to replace
- Enclosed design protects internal motor components from dirt, dust and overspray to extend motor life

Chrome Plated, Welded Steel Hi-Boy cart

- Thick chrome over steel to withstand rugged environments
- Retractable handle doubles as a hose wrap
- TiltBack™ cart design
- Semi-pneumatic wheels roll easily over rough terrain

Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess

Ultra Max II 495



Hi-Boy Unit Shown

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
Ultra Max II 495 Stand	249915	.025	.60 (2.3)	3300 (227)
Ultra Max II 495 Hi-Boy	249917	.025	.60 (2.3)	3300 (227)
Ultra Max II 495 Lo-Boy	249916	.025	.60 (2.3)	3300 (227)

Comes complete with: New Contractor Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Hose.



Inlet tubes fit through 2-inch cap on standard 5-gallon buckets.



QuikAccess intake requires only a hammer to access the intake ball.



Lo-Boy pail hook for easy bucket movement.

Ultra Max II 595

The Ultra Max II 595 is a workhorse. It's proven to be a hit with contractors who are looking for higher output and professional features, in a compact and portable sprayer.

Proven Endurance Pump

- Long-life V-Max Blue Packings, Chromex Rod, and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris

SmartControl 2.0 Pressure Control

- Advanced microprocessor control delivers Graco's most consistent spray fan available at all spraying pressures
- Zero deadband at lower spraying pressures – ideally suited for fine finish spraying

Exclusive Brushless DC Motor

- Compact, lightweight motor delivers higher horsepower per wall amp
- No brushes to replace
- Enclosed design protects internal motor components from dirt, dust, and overspray to extend motor life

Chrome Plated, Welded Steel Lo-Boy Cart

- Low profile, compact design transports easily in tight spaces
- Retractable handle allows sprayer to roll comfortably behind you
- Integrated hose wrap and pail hook for ultimate portability

Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess

Swivel Inlet Suction Hose

- All aluminum construction is durable, lightweight, and rust-free
- No-tools removal of hose for cleaning or accessing inlet ball
- Easily swivels to reach buckets or cans
- Stands upright so it won't tip cans over



Lo-Boy Unit Shown

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
Ultra Max II 595 Hi-Boy	249919	.027	0.70 (2.6)	3300 (227)
Ultra Max II 595 Lo-Boy	249918	.027	0.70 (2.6)	3300 (227)

Comes complete with: New Contractor Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Hose.



TiltBack cart design (Hi-boy shown).



Inlet tube removes by hand for easy clean up.



Retractable handle for simple removal of coiled hose.

The Ultra Max II 695 is the industry standard for professional contractors who spray a full range of coatings on residential, commercial and industrial jobs. The Ultra Max II 695 handles the most common tip sizes, longer hose lengths and heavier coatings with ease.

Proven Endurance Pump

- Larger fluid passages handle heavier coatings with ease
- Long-life V-Max Blue Packings, Chromex Rod, and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris
- Hand removable inlet tube

SmartControl 2.0 Pressure Control

- Advanced microprocessor control delivers Graco's most consistent spray fan at all spraying pressures
 - Zero deadband at lower spraying pressures makes the 695 ideal for fine finish spraying
- WatchDog™ system automatically shuts off sprayer when bucket is empty to prevent damage

Exclusive Brushless DC Motor

- Compact, lightweight motor delivers higher horsepower per wall amp
- No brushes to replace
- Enclosed design protects internal motor components from dirt, dust and overspray to extend motor life

Chrome Plated, Welded Steel Hi-Boy cart

- Retractable handle system doubles as a hose wrap
- TiltBack cart design
- Lift handles offer convenient grab points
- Welded steel power cord wrap
- Tubed pneumatic wheels roll easily on all surfaces

Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess

Ultra Max II 695 Hi-Boy



Premium Unit Shown

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
Ultra Max II 695 Hi-Boy, Premium	249644	.029	0.80 (3.0)	3300 (227)
Ultra Max II 695 Hi-Boy, Standard	249642	.029	0.80 (3.0)	3300 (227)
Ultra Max II 695 Lo-Boy, Premium	255131	.029	0.80 (3.0)	3300 (227)
Ultra Max II 695 Lo-Boy, Standard	255130	.029	0.80 (3.0)	3300 (227)

All units include Contractor Gun, 1/4 in x 50 ft BlueMax II Airless Hose, RAC X 517 Tip and Guard. Premium versions include Digital Display, AutoClean2™, and Toolbox.



QuikAccess intake requires only a hammer to access the intake ball.



Digital display with pressure readout, job/lifetime counters, and AutoClean2 timer.



WatchDog Pump Protection System prevents dry pumping damage.

Ultra Max II 795



Premium Unit Shown

The Ultra Max II 795 is ideal for one gun and occasional two gun spraying on residential, commercial and industrial jobs. Its higher output delivers consistent performance with larger tips and longer hoses spraying heavier coatings.

Proven Endurance Pump

- Larger fluid passages handle heavier coatings with ease
- Long-life V-Max Blue Packings, Chromex Rod, and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris
- Hand removable inlet tube

SmartControl 2.0 Pressure Control

- Advanced microprocessor control delivers Graco's most consistent spray fan at all spraying pressures
- Zero deadband at lower spraying pressures makes the 795 ideal for fine finish spraying
- WatchDog system automatically shuts off sprayer when bucket is empty to prevent damage

Exclusive Brushless DC Motor

- Compact, lightweight motor delivers higher horsepower per wall amp
- No brushes to replace
- Enclosed design protects internal motor components from dirt, dust and overspray to extend motor life

Chrome Plated, Welded Steel Hi-Boy Cart

- Rugged welded steel construction
- Integrated hose wrap with retractable handle
- TiltBack cart design
- Lift handles offer convenient grab points
- Welded steel power cord wrap
- Tubed pneumatic wheels roll easily on all surfaces

(795 also available in Lo-Boy version, see 695 Lo-Boy on previous page for Lo-Boy cart features.)

Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
Ultra Max II 795 Hi-Boy, Premium	249648	.031–1 gun, .023–2 guns	.95 (3.6)	3300 (227)
Ultra Max II 795 Hi-Boy, Standard	249646	.031–1 gun, .023–2 guns	.95 (3.6)	3300 (227)
Ultra Max II 795 Lo-boy, Premium	255133	.031–1 gun, .023–2 guns	.95 (3.6)	3300 (227)
Ultra Max II 795 Lo-boy, Standard	255132	.031–1 gun, .023–2 guns	.95 (3.6)	3300 (227)

All units include Contractor Gun, 1/4 in x 50 ft BlueMax II Airless Hose, RAC X 517 Tip and Guard. Premium versions include Digital Display, AutoClean2, and Toolbox.



Swivel inlet suction hose.



Brushless DC motor with Lifetime Warranty.



Watchdog Pump Protection System prevents dry pumping damage.

The Ultra Max II 1095 is ideal for commercial and industrial contractors who routinely spray with multiple guns, long hoses and the toughest coatings. High output and reliable performance make the Ultra Max II 1095 the choice of large professional contractors worldwide.

Proven Endurance Pump

- Exclusive ProConnect™ system allows quick change-out of pumps – no tools required
- Long-life V-Max Blue Packings, Chromex Rod, and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris

SmartControl 2.0 Pressure Control

- Advanced microprocessor control delivers Graco's most consistent spray fan at all spraying pressures
 - Zero deadband at lower spraying pressures makes the 1095 ideal for fine finish spraying
- WatchDog system automatically shuts off sprayer when bucket is empty to prevent damage

Exclusive Brushless DC Motor

- Compact, lightweight motor delivers higher horsepower per wall amp
- No brushes to replace
- Enclosed design protects internal motor components from dirt, dust and overspray to extend motor life

Chrome Plated, Welded Steel Hi-Boy Cart

- Hose wrap with retractable handle
- TiltBack cart design
- Lift handles offer convenient grab points
- Welded steel power cord wrap
- Tubed pneumatic wheels roll easily on all surfaces

Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
 - Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess

Ultra Max II 1095



Premium Unit Shown

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
Ultra Max II 1095 Hi-Boy Premium	249653	.033–1 gun, .025–2 guns, .019–3 guns	1.10 (4.1)	3300 (227)
Ultra Max II 1095 Hi-Boy Standard	249651	.033–1 gun, .025–2 guns, .019–3 guns	1.10 (4.1)	3300 (227)

All units include Contractor Gun, 1/4 in x 50 ft BlueMax II Airless Hose, RAC X 517 Tip and Guard. Premium versions include Digital Display, AutoClean2, and Toolbox.



Brushless DC motor with totally enclosed design.



Exclusive ProConnect System - no-tools pump removal for fast repairs on the job.



Watchdog Pump Protection System prevents dry pumping damage.

Ultra Max II 1595

The Ultra Max II 1595 is Graco's highest output electric airless sprayer. Built specifically for the largest jobs and multiple spray guns, the Ultra Max II 1595 easily sprays the toughest coatings with long hose lengths and large tip sizes.

Proven Endurance Pump

- Exclusive ProConnect system allows quick change-out of pumps – no tools required
- The largest Endurance Pump available on a Graco electric airless
- Long-life V-Max Blue Packings, Chromex Rod and Hardened Stainless Steel cylinder
- QuikAccess intake valve to easily clean or clear debris

SmartControl 2.0 Pressure Control

- Advanced microprocessor control delivers Graco's most consistent spray fan at all spraying pressures
- Zero deadband at lower spraying pressures makes the 1595 ideal for fine finish spraying
- WatchDog system automatically shuts off sprayer when bucket is empty to prevent damage

Exclusive Brushless DC Motor

- Compact, lightweight motor delivers higher horsepower per wall amp
- No brushes to replace
- Enclosed design protects internal motor components from dirt, dust, and overspray to extend motor life.

Chrome Plated, Welded Steel Hi-Boy Cart

- Hose Wrap with handle
- TiltBack cart design
- Lift handles offer convenient grab points
- Tubed pneumatic wheels roll on all surfaces

Easy Out Pump Filter

- Filtering reduces tip clogs and ensures a quality finish
- Easy Out design filters from the inside out – so filters won't get stuck or collapse when dirty
- Filter removes with the cap for less mess



Premium Unit Shown

DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
Ultra Max II 1595 Hi-Boy Premium	249659	.037–1 gun, .027–2 guns, .021–3 guns	1.25 (4.7)	3300 (227)
Ultra Max II 1595 Hi-Boy Standard	249658	.037–1 gun, .027–2 guns, .021–3 guns	1.25 (4.7)	3300 (227)
Ultra Max II 1595 Premium (Canada)	253059	.037–1 gun, .027–2 guns, .021–3 guns	1.25 (4.7)	3300 (227)
Ultra Max II 1595 Standard (Canada)	253060	.037–1 gun, .027–2 guns, .021–3 guns	1.25 (4.7)	3300 (227)

All units include Contractor Gun, 1/4 in x 50 ft BlueMax II Airless Hose, RAC X 517 Tip and Guard
Premium versions include Digital Display, AutoClean2, and Toolbox.



Exclusive ProConnect System - no-tools removal for fast repairs on the job.



Watchdog Pump Protection System prevents dry pumping damage.



Brushless DC motor with totally enclosed design.



Power, durability and capability is what makes this Graco sprayer an IronMan. From its oversized engine to its rugged, heavy-duty frame, the IronMan is built with extreme ruggedness for the serious contractor.

Extreme-Duty MaxLife HD Pump

- Exclusive MaxLife sleeve and Chromex rod delivers unmatched durability and life
- Long pump design puts the intake in the material – resulting in consistent priming with even the thickest materials
- Oversized clearance ensure minimal pressure drop and increase performance

Increased Power

- Motor is oversized for increased performance and long life

Extreme-Duty Control

- Super-cooled control for increased reliability and life
- Extended performance – allowing you to spray longer as the tip wears

Extreme-Duty Prime Valve

- Designed to hold up to high pressure dumps for the most extreme jobsite conditions

Extreme-Duty Drive

- Lifetime lubricated and guaranteed for life

Extreme-Duty Frame

- “Indy Car” style roll cage protects all critical sprayer components from extreme jobsite abuse

Flat-Proof Tires

- Nails, screws, blades cannot flatten these tires
- Pneumatic tire performance

Crush-Proof Intake Screen

- Holds up to impacts which are common on the jobsite

Control Lock Theft Deterrent

- Allows the user to lock/disable the sprayer
- Protects the controls from jobsite abuse

IronMan 300E



DESCRIPTION	PART NUMBER	MAX TIP SIZE	MAX GPM (LPM)	MAX PSI (BAR)
IronMan 300E	256655	.031	1.2 (4.5)	3300 (227)

Includes Contractor Gun, 1/4 in x 50 ft and 3/8 in X 50 ft BlueMax II Airless Hose, RAC X 517 Tip and Guard



Control Lock Theft Derrtent system



Crush-proof intake screen



Flat-Proof Tires



Warranty

Lifetime Motor Warranty

If the Motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

Lifetime Drive Warranty

If the Drive Train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

3-Year Warranty

Coverage against defects in materials and workmanship on the entire sprayer.

30-Day "Just Add Paint" Replacement Guarantee

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an extra cost.

Downtime Eliminator Program

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CST.

Convenient Service

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

We stand behind every piece of equipment we manufacture with one of the industry's strongest warranties. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do . . . we will be there.



"I still have the Graco I bought when I started my business in 1997. Since then I've added to my "fleet" with more Graco's. Thanks Graco – you've kept the paint flowing, and haven't let me down."

- Dave Novotny -

Dave Novotny Painting
Roseville, CA



Purchase any Graco Electric Sprayer and you can purchase an Endurance Pump for up to 80% off list price. Keep a spare pump on hand to save yourself time and money on every job.

If you'd rather repack your own pump, we'll let you choose a free Repair Kit instead. With reliability you can count on, Graco ensures you'll always be up and spraying! Follow the registration instructions included with your sprayer.



Endurance Pump

Endurance Advantage Program

A Solution To Keep You Spraying



ProConnect no-tools pump removal system makes Endurance Pump swap out fast and easy.



Downtime Costs You Money

- Inconvenient Turnaround Time
- Unplanned and Expensive Rental Expenses
- Inconvenient and Costly Service Center Trips
- Lost Hours and Dollars in Idle Manpower

Our Commitment To Productivity

- Exclusive QuikChange™ Lower
- Quick Replacement
- No Special Tools Required
- You are Up and Spraying in Minutes, Not Days

Accessories

For 390 - 595

DIGITAL DISPLAY



287098

Digital Display for Ultra 395

Simple-to-use, easy-to-install display featuring pressure display and error code self diagnostics.

287904

Digital Display for Ultra Max II 490/495/595

Simple-to-use, easy-to-install display featuring pressure display, job and life gallon counter, and error code self diagnostics.

HOPPER



288526


Hopper Accessory

1.5 gallon molded hopper attaches to sprayer in place of inlet suction hose.

Ideal for spraying small amounts of material. Lid included. Smooth inside cleans up fast.

Now works with Stand, Hi-Boy, and Lo-Boy units.

FILTERS AND STRAINERS



246425

Easy Out Filters, Short, Gray, 30 mesh

246384

Easy Out Filters, Short, Black, 60 mesh

246382

Easy Out Filters, Short, Blue, 100 mesh

246383

Easy Out Filters, Short, Red, 200 mesh

246385

Inlet Strainer

Accessories

For 695 - 1595 and IronMan 300E

DIGITAL DISPLAY



287286

Digital Display for Ultra Max II 695/795/1095/1595

Simple-to-use, easy-to-install display featuring pressure display, job and life gallon counter, and error code self diagnostics.

SUCTION HOSE KITS


248317

55 Gallon Suction Hose Kit

Easily installs on any sprayer to provide the convenience of a flexible inlet hose. Leave tube long

(fits 30 gal trash cans and 55 gal drums) or simply unscrew at middle fitting to shorten (fits 5 gal buckets).

FILTERS AND STRAINERS



244071

Easy Out Filters, Long, Gray, 30 mesh

244067

Easy Out Filters, Long, Black, 60 mesh

244068

Easy Out Filters, Long, Blue, 100 mesh

244069

Easy Out Filters, Long, Red, 200 mesh

189920

Inlet Strainer – Ultra Max II 695-1595

257033

Inlet Strainer – IronMan

Ask your local authorized Graco distributor for details on Graco's complete line of airless accessories.

Accessories

Essential Tools For Maximum Productivity and Performance

AIRLESS GUNS



- 288420
- 288425
- 288421
- 288430
- 288429
- 288431
- 246240
- 246468
- 287023
- 287024

- New** Contractor Gun (2-finger trigger) with RAC X 517 Tip and Guard
- New** Contractor Gun (4-finger trigger) with RAC X 517 Tip and Guard
- New** Contractor Gun (2-finger trigger) with RAC 5 517 Tip and Guard
- New** FTx Gun (4-finger trigger) with RAC X 515 Tip and Guard
- New** FTx Gun (2-finger trigger) with RAC X 515 Tip and Guard
- New** FTx Gun (4-finger trigger) with RAC 5 515 Tip and Guard
- Silver Plus™ Gun with RAC X 517 Tip and Guard
- Flex Plus™ Gun with RAC X 517 Tip and Guard
- 3 ft Pole Gun with Contractor Inline valve, CleanShot™ valve, RAC X Tip and Guard
- 6 ft Pole Gun with Contractor Inline valve, CleanShot valve, RAC X Tip and Guard

GUN HOSE KITS



- 288489
- 288496
- 288490
- 288493
- 288497
- 287095
- 287041
- 287042
- 287043

- Kits include the following unless otherwise noted: Airless Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft BlueMax II 3300 psi Airless Hose (6.4 mm x 15 m, 227 bar), and 3 ft (.9 m) Whip Hose.
- New** Contractor Gun Hose Kit
 - New** Contractor Gun Hose Kit with RAC 5
 - New** Contractor Gun Hose Kit with 3/8 in x 50 ft BlueMax II 3300 psi Airless Hose (9.5 mm x 15 m, 227 bar)
 - New** FTx Gun Hose Kit RAC X 515 Tip, No Whip Hose
 - New** FTx Gun Hose Kit with RAC 5 - 515 Tip, No Whip Hose
 - Flex Plus Gun Hose Kit
 - Silver Plus Gun Hose Kit
 - Silver Plus Gun Hose Kit with 3/8 in x 50 ft BlueMax II 3300 psi Airless Hose (9.5 mm x 15 m, 227 bar)
 - Silver Plus Gun Hose Kit with 3/8 in x 50 ft BlueMax II 4000 psi Airless Hose (9.5 mm x 15 m, 276 bar)

BLUEMAX II AIRLESS HOSE



- 238358
- 238959
- 240793
- 240794
- 240797

Feel the Difference in Flexibility

- 3/16 in x 3 ft BlueMax II 3300 psi Airless Whip Hose (4.8 mm x 0.9 m, 227 bar)
- 3/16 in x 4.5 ft BlueMax II 3300 psi Airless Whip Hose (4.8 mm x 1.4 m, 227 bar)
- 1/4 in x 25 ft BlueMax II 3300 psi Airless Hose (6.4 mm x 7.5 m, 227 bar)
- 1/4 in x 50 ft BlueMax II 3300 psi Airless Hose (6.4 mm x 15 m, 227 bar)
- 3/8 in x 50 ft BlueMax II 3300 psi Airless Hose (9.5 mm x 15 m, 227 bar)

FLUIDS



- 243103
- 245133
- 206994
- 206995
- 206996

- Pump Armor™ - 1 Quart (1 Liter)
- Pump Armor - 1 Gallon (3.8 Liter)
- Use Graco's exclusive Pump Armor for long term pump storage to prohibit harmful rust and corrosion.
- Throat Seal Liquid (TSL)™ - 8 oz. (.24 Liter)
- Throat Seal Liquid (TSL) - 1 Quart (1 Liter)
- Throat Seal Liquid (TSL) - 1 Gallon (3.8 Liter)
- Prolong the life of your pump by routinely adding TSL to your pump's wet cup.

PRESSURE ROLLERS



- 245397
- 244279
- 244281

- EvenFlow™ Pressure Roller Assembly with 20 in (50 cm) fixed heavy duty extension and connector inline valve
- EvenFlow Pressure Roller Assembly with 20 in (50 cm) fixed heavy duty extension, 45° angle
- EvenFlow Pressure Roller Assembly with 18-36 in (46 cm - 91 cm) telescoping extension

Ask your local authorized Graco distributor for details on Graco's complete line of airless accessories.

Electric Product Specifications



390

- Max Tip:** .021
Max psi/bar: 3300/227
Max gpm/lpm: .47/1.8
Weight lbs/kg: 30/13.6 Stand
Motor hp: 5/8 hp DC
Generator Requirements:
- 3000W
- Gun:**
- FTx Airless Gun
- Hose:**
- 1/4" x 50' (6.4mm x 15m) BlueMax II 3300 psi (227 bar)
- Tip:**
- RAC X 515 Tip and Guard
- Inlet Strainer:**
- Part #246385
- Pump Filter:**
- Includes Easy Out Pump Filter
- Easy Out Filter Screens:**
- 30 Mesh - 246425
 - 60 Mesh - 246384
 - 100 Mesh - 246382
 - 200 Mesh - 246383
- Sprayer Dimensions:**
- Stand - 14"x16"x18"
 - Hi-Boy - NA
 - Lo-Boy - NA
- Wear Parts:**
- Packing Kit - 244194
 - Rod - 249125
 - Cylinder - 243176
- Complete Pump Lower:**
- Part #246428
- Manuals:**
- Operation - 310820
 - Repair - 310824
 - Pump - 309250
 - Gun - 311861
 - Parts List - 310876



Ultra 395

- Max Tip:** .023
Max psi/bar: 3300/227
Max gpm/lpm: .54/2.0
Weight lbs/kg: 42/19 Stand
Motor hp: 7/8 hp TEFC DC
Generator Requirements:
- 3000W
- Gun:**
- Contractor Airless Gun
- Hose:**
- 1/4" x 50' (6.4mm x 15m) BlueMax II 3300 psi (227 bar)
- Tip:**
- RAC X 517 Tip and Guard
- Inlet Strainer:**
- Part #246385
- Pump Filter:**
- Includes Easy Out Pump Filter
- Easy Out Filter Screens:**
- 30 Mesh - 246425
 - 60 Mesh - 246384
 - 100 Mesh - 246382
 - 200 Mesh - 246383
- Sprayer Dimensions:**
- Stand - 14"x16"x18"
 - Hi-Boy - 21"x23"x28"
 - Lo-Boy - 14"x26"x21"
- Wear Parts:**
- Packing Kit - 244194
 - Rod - 249125
 - Cylinder - 243176
- Complete Pump Lower:**
- Part #246428
- Manuals:**
- Operation - 309665
 - Repair - 309674
 - Pump - 309250
 - Gun - 311861
 - Parts List - 309675



Ultra Max II 490

- Max Tip:** .023
Max psi/bar: 3300/227
Max gpm/lpm: .54/2.0
Weight lbs/kg: 34/15 Stand
Motor hp: 1 hp Brushless DC
Generator Requirements:
- 3000W
- Gun:**
- Contractor Airless Gun
- Hose:**
- 1/4" x 50' (6.4mm x 15m) BlueMax II 3300 psi (227 bar)
- Tip:**
- RAC X 517 Tip and Guard
- Inlet Strainer:**
- Part #246385
- Pump Filter:**
- Includes Easy Out Pump Filter
- Easy Out Filter Screens:**
- 30 Mesh - 246425
 - 60 Mesh - 246384
 - 100 Mesh - 246382
 - 200 Mesh - 246383
- Sprayer Dimensions:**
- Stand - 14"x16"x18"
 - Hi-Boy - 21"x23"x28"
 - Lo-Boy - 14"x26"x21"
- Wear Parts:**
- Packing Kit - 244194
 - Rod - 249125
 - Cylinder - 243176
- Complete Pump Lower:**
- Part #246428
- Manuals:**
- Operation - 309665
 - Repair - 309674
 - Pump - 309250
 - Gun - 311861
 - Parts List - 309675



Ultra Max II 495

- Max Tip:** .025
Max psi/bar: 3300/227
Max gpm/lpm: .60/2.3
Weight lbs/kg: 43/19.5 Stand
Motor hp: 1.2 hp Brushless DC
Generator Requirements:
- 3000W
- Gun:**
- Contractor Airless Gun
- Hose:**
- 1/4" x 50' (6.4mm x 15m) BlueMax II 3300 psi (227 bar)
- Tip:**
- RAC X 517 Tip and Guard
- Inlet Strainer:**
- Part #246385
- Pump Filter:**
- Includes Easy Out Pump Filter
- Easy Out Filter Screens:**
- 30 Mesh - 246425
 - 60 Mesh - 246384
 - 100 Mesh - 246382
 - 200 Mesh - 246383
- Sprayer Dimensions:**
- Stand - 14"x16"x18"
 - Hi-Boy - 21"x23"x28"
 - Lo-Boy - 14"x26"x21"
- Wear Parts:**
- Packing Kit - 244194
 - Rod - 249125
 - Cylinder - 243176
- Complete Pump Lower:**
- Part #246428
- Manuals:**
- Operation - 309665
 - Repair - 309674
 - Pump - 309250
 - Gun - 311861
 - Parts List - 309675



Ultra Max II 595

- Max Tip:** .027
Max psi/bar: 3300/227
Max gpm/lpm: .70/2.6
Weight lbs/kg: 72/32.7 Hi-Boy
Motor hp: 1.4 hp Brushless DC
Generator Requirements:
- 3000W
- Gun:**
- Contractor Airless Gun
- Hose:**
- 1/4" x 50' (6.4mm x 15m) BlueMax II 3300 psi (227 bar)
- Tip:**
- RAC X 517 Tip and Guard
- Inlet Strainer:**
- Part #246385
- Pump Filter:**
- Includes Easy Out Pump Filter
- Easy Out Filter Screens:**
- 30 Mesh - 246425
 - 60 Mesh - 246384
 - 100 Mesh - 246382
 - 200 Mesh - 246383
- Sprayer Dimensions:**
- NA
 - Hi-Boy - 21"x23"x28"
 - Lo-Boy - 14"x26"x21"
- Wear Parts:**
- Packing Kit - 244194
 - Rod - 249125
 - Cylinder - 243176
- Complete Pump Lower:**
- Part #246428
- Manuals:**
- Operation - 309665
 - Repair - 309674
 - Pump - 309250
 - Gun - 311861
 - Parts List - 309675



Ultra Max II 695

- Max Tip:** .029
- Max psi/bar:** 3300/227
- Max gpm/lpm:** .80/3.0
- Weight lbs/kg:** 93/42 Hi-Boy
- Motor hp:** 1.75 hp Brushless DC
- Generator Requirements:**
 - 5000W

Available in Standard or Premium:

- Premium includes: Digital Display, AutoClean2, Tool Box, Contractor Gun, RAC X 517 Tip & Guard, 1/4 in x 50 ft BlueMax II Airless Hose

Inlet Strainer:

- Part #189920

Pump Filter:

- Includes Easy Out Pump Filter

Easy Out Filter Screens:

- 30 Mesh- 244071
- 60 Mesh- 244067
- 100 Mesh- 244068
- 200 Mesh- 244069

Sprayer Dimensions:

- Hi-Boy- 36"x26"x30"
- Lo-Boy- 36"x24"x30"

Wear Parts:

- Packing Kit- 248212
- Rod- 248206
- Sleeve- 248209

Complete Pump Lower:

- Part #248204

Manuals:

- Operation- 311360
- Repair- 311365
- Pump- 310643
- Gun- 311861
- Parts List- 311362



Ultra Max II 795

- Max Tip:** .031
- Max psi/bar:** 3300/227
- Max gpm/lpm:** .95/3.6
- Weight lbs/kg:** 93/42 Hi-Boy
- Motor hp:** 2.0 hp Brushless DC
- Generator Requirements:**
 - 5000W

Available in Standard or Premium:

- Premium includes: Digital Display, AutoClean2, Tool Box, Contractor Gun, RAC X 517 Tip & Guard, 1/4 in x 50 ft BlueMax II Airless Hose

Inlet Strainer:

- Part #189920

Pump Filter:

- Includes Easy Out Pump Filter

Easy Out Filter Screens:

- 30 Mesh- 244071
- 60 Mesh- 244067
- 100 Mesh- 244068
- 200 Mesh- 244069

Sprayer Dimensions:

- Hi-Boy- 36"x26"x30"
- Lo-Boy- 36"x24"x30"

Wear Parts:

- Packing Kit- 248212
- Rod- 248206
- Sleeve- 248209

Complete Pump Lower:

- Part #248204

Manuals:

- Operation- 311360
- Repair- 311365
- Pump- 310643
- Gun- 311861
- Parts List- 311362



Ultra Max II 1095

- Max Tip:** .033
- Max psi/bar:** 3300/227
- Max gpm/lpm:** 1.10/4.1
- Weight lbs/kg:** 120/55 Hi-Boy
- Motor hp:** 2.2 hp Brushless DC
- Generator Requirements:**
 - 5000W

Available in Standard or Premium:

- Premium includes: Digital Display, AutoClean2, Tool Box, Contractor Gun, RAC X 517 Tip & Guard, 1/4 in x 50 ft BlueMax II Airless Hose

Inlet Strainer:

- Part #189920

Pump Filter:

- Includes Easy Out Pump Filter

Easy Out Filter Screens:

- 30 Mesh- 244071
- 60 Mesh- 244067
- 100 Mesh- 244068
- 200 Mesh- 244069

Sprayer Dimensions:

- Hi-Boy- 37"x30"x25"

Wear Parts:

- Packing Kit- 248213
- Rod- 248207
- Sleeve- 248210

Complete Pump Lower:

- Part #287513

Manuals:

- Operation- 311360
- Repair- 311365
- Pump- 310894
- Gun- 311861
- Parts List- 311362



Ultra Max II 1595

- Max Tip:** .037
- Max psi/bar:** 3300/227
- Max gpm/lpm:** 1.25/4.7
- Weight lbs/kg:** 125/56 Hi-Boy
- Motor hp:** 2.5 hp Brushless DC
- Generator Requirements:**
 - 5000W

Available in Standard or Premium:

- Premium includes: Digital Display, AutoClean2, Tool Box, Contractor Gun, RAC X 517 Tip & Guard, 1/4 in x 50 ft BlueMax II Airless Hose

Inlet Strainer:

- Part #189920

Pump Filter:

- Includes Easy Out Pump Filter

Easy Out Filter Screens:

- 30 Mesh- 244071
- 60 Mesh- 244067
- 100 Mesh- 244068
- 200 Mesh- 244069

Sprayer Dimensions:

- Hi-Boy- 37"x30"x25"

Wear Parts:

- Packing Kit- 248213
- Rod- 248207
- Sleeve- 248210

Complete Pump Lower:

- Part #287513

Manuals:

- Operation- 311360
- Repair- 311365
- Pump- 310894
- Gun- 311861
- Parts List- 311362



IronMan 300E

- Max Tip:** .031
- Max psi/bar:** 3300/227
- Max gpm/lpm:** 1.2 (4.5)
- Weight lbs/kg:** 135/61
- Motor hp:** 2.2 hp Brushless DC
- Generator Requirements:**
 - 5000W

Includes:

- Control Lock Theft Deterrent, Contractor Gun, RAC X 517 Tip & Guard, 1/4 in x 50 ft and 3/8 in x 50 ft BlueMax II Airless Hose

Inlet Strainer:

- Part #257033

Pump Filter:

- Includes Easy Out Pump Filter

Easy Out Filter Screens:

- 30 Mesh- 244071
- 60 Mesh- 244067
- 100 Mesh- 244068
- 200 Mesh- 244069

Sprayer Dimensions:

- 28"x24.5"x40.5"

Wear Parts:

- Packing Kit- 248213
- Rod- 249028
- Sleeve- 257031

Complete Pump Lower:

- Part #257146

Manuals:

- Instruction- 313313
- Repair- 313313

Authorised Distrubutor of Graco Inc. USA for Maharastra and Gujarat

MUJTABA MARINE PVT. LTD.

HEAD OFFICE

Match Factory Compund, Moti Talav Road,
Bhavnagar. Gujarat. INDIA.

Phone No. : +91 278 2512931

Fax No. : +91 278 2514171

E-mail : info@mujtabamarine.com

Web : www.mujtabamarine.com

BRANCH OFFICES

Mumbai Branch

Mahendi Enterprise

7, Prakash Kunj, Sion Trombay Road,

Near Akberallys,

Chembur, Mumbai. INDIA.

Mobile No. +91 9769038214

Jamnagar Branch

Near Nagarjun Petroleum, Sikka Patiya,
Jamnagar.

Gujarat. INDIA.

Mobile No. +91 9925028214